

#### MATERIAL SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**SDS #: 33352 ATLANTA MARINE D 4005** 

Date of the previous version: not applicable Revision Date: 2011-03-11 Version 1

#### IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name ATLANTA MARINE D 4005

Number ECM Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Motor oil.

1.3. Details of the supplier of the safety data sheet

562 Avenue du Parc de L'ile 92029 Nanterre Cedex Tél: +33 (0)1 41 35 40 00 Fax: +33 (0)1 41 35 84 71

**TOTAL LUBRIFIANTS** 

#### For further information, please contact

Contact Point HSE

E-mail Address rm.msds-lubs@total.com

#### 1.4. Emergency telephone number

+33 1 49 00 00 49

**Supplier** 

France - ORFILA Tél: 01.45.42.59.59

In France: - PARIS: Hôpital Fernand Widal 200, rue du Faubourg Saint-Denis 75475 Paris Cédex 10, Tel: 01.40.05.48.48. - MARSEILLE: Hopital Salvator, 249 bd Ste Marguerite 13274 Marseille cedex 5, Tel: 04.91.75.25.25. - LYON: Hopital Hédouard Herriot, 5 place d'Arsonvil, 69437 Lyon cedex 3, Tel: 04.72.11.69.11. - NANCY: Hopital central, 29 Av du Mal De Lattre de Tassigny, 54000 Nancy, Tel: 03.83.32.36.36 ou le SAMU: Tel (15)

#### 2. HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

#### **REGULATION (EC) No 1272/2008**

For the full text of the H-Statements mentioned in this Section, see Section 2.2.

#### DIRECTIVE 67/548/EEC or 1999/45/EC

For the full text of the R-phrases mentioned in this Section, see Section 16

\_\_\_\_

**Revision Date: 2011-03-11** 

## **SDS #: 33352 ATLANTA MARINE D 4005**

Not a hazardous substance or preparation according to EC-directives 67/548/EEC or 1999/45/EC **Symbol(s)** 

Not Classified

#### 2.2. Label elements

Labelled according to: Not classified/No labelling required

R-phrase(s)

none

S-phrase(s)

none

#### 2.3. Other hazards

Physical-Chemical Properties Contaminated surfaces will be extremely slippery.

**Environmental properties** Should not be released into the environment.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

Chemical Name	EC-No	REACH registration	CAS-No	Weight %	Classification (Dir.	Classification (Reg.
		No:			67/548)	1272/2008)
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts	270-608-0	01-2119493628-22	68457-79-4	<0.5	Xi;R38-41 N;R51-53	Aquatic Chronic 2 (H411) Eye Dam. 1 (H318) Skin Irrit. 2 (H315)
Tetrapropenyl phenol	310-154-3	no data available	121158-58-5	<0.2	Xi;R38 Repr.Cat.3;R62 N;R50-53	

Additional information Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

For the full text of the R-phrases mentioned in this Section, see Section 16 For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 4. FIRST AID MEASURES

#### 4.1. Description of first-aid measures

**SDS #:** 33352

## **ATLANTA MARINE D 4005**

Revision Date: 2011-03-11 Version 1

General advice IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR

EMERGENCY MEDICAL CARE.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids.

**Skin contact** Remove contaminated clothing and shoes, Wash off with soap and water, Wash

contaminated clothing before reuse

**Inhalation** Move to fresh air

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

physician or Poison Control Center immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Eye contact Not classified.

Skin contact Not classified.

**Inhalation** Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory

system.

Ingestion Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhea.

#### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically

#### 5. FIRE-FIGHTING MEASURES

#### 5.1. Extinguishing media

Suitable Extinguishing Media Carbon dioxide (CO<sub>2</sub>). ABC powder. Foam. Water spray or fog.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire

#### 5.2. Special hazards arising from the substance or mixture

Special Hazard Incomplete combustion and thermolysis may produce gases of varying toxicity such as

carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may

be highly dangerous if inhaled in confined spaces or at high concentration.

#### 5.3. Advice for fire-fighters

Special protective equipment for

fire-fighters

Wear self-contained breathing apparatus and protective suit

Other information Cool containers / tanks with water spray, Fire residues and contaminated fire extinguishing

water must be disposed of in accordance with local regulations

#### ACCIDENTAL RELEASE MEASURES

\_\_\_\_

## **SDS #**: 33352 **ATLANTA MARINE D 4005**

**Revision Date: 2011-03-11** 

#### 6.1. Personal precautions, protective equipment and emergency procedures

General Information Do not touch or walk through spilled material. Contaminated surfaces will be extremely

slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all

sources of ignition.

#### 6.2. Environmental precautions

General Information Do not allow material to contaminate ground water system. Try to prevent the material from

entering drains or water courses. Local authorities should be advised if significant spillages

cannot be contained.

#### 6.3. Methods and materials for containment and cleaning up

Methods for cleaning up Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g.

sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for

disposal.

#### 6.4. Reference to other sections

Personal Protective Equipment See Section 8 for more detail

Waste treatment See section 13

#### 7. HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Advice on safe handling When using, do not eat, drink or smoke. For personal protection see section 8. Use only in

well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes

and clothing.

Prevention of fire and explosion Take precautionary measures against static discharges. Ground/bond containers, tanks

and transfer/receiving equipment.

**Hygiene measures** Ensure the application of strict rules of hygiene by the personnel exposed to the risk of

contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do

not use abrasives, solvents or fuels. Do not dry hands with rags that have been

contaminated with product. Do not put product contaminated rags into workwear pockets.

#### 7.2. Conditions for safe storage, including any incompatibilities

## Technical measures/Storage conditions

Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture.

## **ATLANTA MARINE D 4005**

**Revision Date: 2011-03-11** 

Materials to Avoid Strong oxidizing agents.

7.3. Specific end uses

**SDS #:** 33352

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

**Exposure limits** oil mist: 10mg/m³, for 15 minutes oil mist: 5mg/m³, for 8 hours

**Legend** See section 16

#### 8.2. Exposure controls

#### **Occupational Exposure Controls**

Engineering Measures Apply technical measures to comply with the occupational exposure limits, When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment

**Personal Protective Equipment** 

General Information If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers, These recommendations apply to the product as supplied

**Respiratory protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 141). The use of breathing apparatus must comply strictly with the manufacturer's

instructions and the regulations governing their choices and uses.

Eye Protection If splashes are likely to occur, wear:, Safety glasses with side-shields

Skin and body protection Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing.

Hand Protection Hydrocarbon-proof gloves. Please observe the instructions regarding permeability and

breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves.

#### **Environmental exposure controls**

General Information The product should not be allowed to enter drains, water courses or the soil

## **ATLANTA MARINE D 4005**

Revision Date: 2011-03-11 Version 1

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

**SDS #:** 33352

#### 9.1. Information on basic physical and chemical properties

Color
Physical State @20°C
Iliquid
Odor
Characteristic

Property Values Remarks Method

pH Not applicableBoiling point/boiling rangeNot applicable

Flash point > 220 °C Open cup > 428 °F Open cup.

**Evaporation rate**No information available

Flammability Limits in Air

Vapor Pressure @20°C (kPa)

No information available
No information available

Vapor density No information available

**Density** 880 - 890 kg/m³ @ 15 °C **Water solubility** Insoluble

Solubility Insoluble Soluble in many common

organic solvents

logPow No information available

Autoignition temperatureNot applicableViscosity, kinematic14 - 16 mm2/s@ 100 °C

Explosive properties Not explosive Oxidizing Properties Not applicable Possibility of hazardous reactions Not applicable

#### 9.2. Other information

#### 10. STABILITY AND REACTIVITY

#### 10.1. Reactivity

#### 10.2. Chemical stability

Stability Stable under recommended storage conditions

#### 10.3. Possibility of hazardous reactions

Hazardous Reactions None under normal processing

#### 10.4. Conditions to Avoid

Conditions to Avoid Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.

## **SDS #: 33352 ATLANTA MARINE D 4005**

**Revision Date: 2011-03-11** 

#### 10.5. Incompatible Materials

Materials to Avoid Strong oxidizing agents.

#### 10.6. Hazardous Decomposition Products

Hazardous Decomposition Products None known based on information supplied. Incomplete combustion and thermolysis may

produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various

hydrocarbons, aldehydes and soot.

#### 11. TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological effects

#### Acute toxicity Local effects, Product Information

Skin contact Not classified.

Eye contact Not classified.

Inhalation Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory

system.

Ingestion Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhea.

#### **Acute toxicity Component Information**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Phosphorodithioic acid, mixed O,O-bis(iso-	-	> 3160 mg/kg (Rabbit)	
Bu and pentyl) esters, zinc salts			

#### Sensitization

**Sensitization** Not classified as a sensitizer.

**Specific effects** 

**Carcinogenicity** This product is not classified carcinogenic.

**Mutagenicity** This product is not classified as mutagenic.

Reproductive toxicity

This product does not contain any known or suspected reproductive hazards. This product

contains para - dodecylphenol.

**Repeated Dose Toxicity** 

**Subchronic toxicity** No information available.

## **ATLANTA MARINE D 4005**

**Revision Date: 2011-03-11** 

**Target Organ Effects (STOT)** 

**Target Organ Effects (STOT)** No information available.

Other information

**SDS #:** 33352

Characteristic skin lesions (pimples) may develop following prolonged and repeated Other adverse effects

exposures (contact with contaminated clothing).

#### 12. ECOLOGICAL INFORMATION

#### 12.1. Toxicity

Not classified.

### **Acute aquatic toxicity Product Information**

No information available.

**Acute aquatic toxicity Component Information** 

Chemical Name	Toxicity to algae	Toxicity to daphnia and	Toxicity to fish	Toxicity to
		other aquatic invertebrates		microorganisms
Phosphorodithioic acid,	EC50 (96h) 1.0 - 5.0 mg/L	EC50 (48h) 4.0 - 6.0 mg/L	LC50 (96h) 25-50 mg/L	
mixed O,O-bis(iso-Bu and	Pseudokirchneriella	Daphnia magna	Pimephales promelas	
pentyl) esters, zinc salts	subcapitata		(static) LC50 (96h) > 100	
68457-79-4	·		mg/L Pimephales promelas	
			(semi-static)	

#### **Chronic aquatic toxicity Product Information**

No information available.

#### **Chronic aquatic toxicity Component Information**

No information available.

#### Effects on terrestrial organisms

No information available.

#### 12.2. Persistence and degradability

#### **General Information**

No information available

#### 12.3. Bioaccumulative potential

No information available **Product Information** 

**logPow Component Information** 

No information available

\_\_\_\_\_

**Revision Date: 2011-03-11** 

## ATLANTA MARINE D 4005

#### 12.4. Mobility in soil

**SDS #:** 33352

Soil Given its physical and chemical characteristics, the product generally shows low soil

mobility.

Air Loss by evaporation is limited.

Water Insoluble. The product spreads on the surface of the water.

#### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

12.6. Other adverse effects

General Information No information available.

#### 13. DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

Waste from Residues / Unused

**Products** 

Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. Where possible recycling is preferred to disposal or incineration. After use, this oil must be sent to a used oil collection location. Incorrect disposal of used oil endangers the environment. Every mixture with foreign substances such as solvents, brake- and cooling liquids is forbidden.

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal

**EWC Waste Disposal No.** 

The following Waste Codes are only suggestions:. 13 02 05. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

#### 14. TRANSPORT INFORMATION

ADR/RID Not regulated

IMDG/IMO Not regulated

ICAO/IATA Not regulated

ADN Not regulated

## ATLANTA MARINE D 4005

Revision Date: 2011-03-11 Version 1

#### 15. REGULATORY INFORMATION

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

**SDS #:** 33352

#### International Inventories

 EINECS/ELINCS

 TSCA

 DSL

 ENCS

 IECSC

 KECL

 PICCS

 AICS

 NZIOC

Legend

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

Further information

## 15.2. Chemical Safety Assessment

Chemical Safety Assessment No information available

#### 16. OTHER INFORMATION

#### Full text of R-phrases referred to under sections 2 and 3

R41 - Risk of serious damage to eyes

R38 - Irritating to skin

R62 - Possible risk of impaired fertility

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

#### Full text of H-Statements referred to under section 2 and 3

H411 - Toxic to aquatic life with long lasting effects

H318 - Causes serious eye damage

H315 - Causes skin irritation

\_\_\_\_

## **SDS #: 33352 ATLANTA MARINE D 4005**

Revision Date: 2011-03-11 Version 1

Abbreviations, acronyms

Legend Section 8

+ Sensitizer \* Skin designation

\*\* Hazard Designation C: Carcinogen

M: Mutagen R: Toxic to reproduction

Revision Date: 2011-03-11

Revision Note \*\*\* Indicates updated section

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet