



MATERIAL SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

SDS # : 33356

DISOLA M 4015

Date of the previous version: not applicable

Revision Date: 2012-05-14

Version 1

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

| | |
|-------------------------------|----------------------|
| Product name | DISOLA M 4015 |
| Number | EPU |
| Pure substance/mixture | Mixture |

1.2. Relevant identified uses of the substance or mixture and uses advised against

| | |
|------------------------|------------|
| Identified uses | Motor oil. |
|------------------------|------------|

1.3. Details of the supplier of the safety data sheet

| | |
|-----------------|--|
| Supplier | TOTAL LUBRIFIANTS 562 Avenue du Parc de L'île 92029 Nanterre Cedex Tél: +33 (0)1 41 35 40 00 Fax: +33 (0)1 41 35 84 71 |
|-----------------|--|

For further information, please contact

| | |
|-----------------------|------------------------|
| Contact Point | HSE |
| E-mail Address | rm.msds-lubs@total.com |

1.4. Emergency telephone number

+33 1 49 00 00 49 (24h/24, 7d/7)
 France - ORFILA (INRS) Tél : +33 (0)1 45 42 59 59
 In France : - PARIS : Hôpital Fernand Widal 200, rue du Faubourg Saint-Denis 75475 Paris Cédex 10 , Tel : 01.40.05.48.48. -
 MARSEILLE : Hopital Salvator, 249 bd Ste Marguerite 13274 Marseille cedex 5, Tel : 04.91.75.25.25. - LYON : Hopital Edouard
 Herriot, 5 place d'Arsonvol, 69437 Lyon cedex 3, Tel : 04.72.11.69.11. - NANCY : Hopital central, 29 Av du Mal De Lattre de
 Tassigny, 54000 Nancy, Tel : 03.83.32.36.36 ou le SAMU : Tel (15)

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

For the full text of the H-Statements mentioned in this Section, see Section 2.2.

DIRECTIVE 67/548/EEC or 1999/45/EC

For the full text of the R-phrases mentioned in this Section, see Section 16



SDS # : 33356

DISOLA M 4015

Revision Date: 2012-05-14

Version 1

The substance/mixture is classified as dangerous in accordance with Directive(s) 67/548/EEC with amendments and/or 1999/45/EC with amendments

Symbol(s)

none

Classification

R52-53

2.2. Label elements

Labelled according to: Directive 1999/45/EC

R-phrase(s)

R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

S-phrase(s)

S61 - Avoid release to the environment. Refer to special instructions/safety data sheets

Contains Calcium long chain alkarylsulphonate May produce an allergic reaction.

2.3. Other hazards

Physical-Chemical Properties Contaminated surfaces will be extremely slippery.

Environmental properties Should not be released into the environment.

| |
|--|
| 3. COMPOSITION/INFORMATION ON INGREDIENTS |
|--|

3.2. Mixture

| Chemical Name | EC-No | REACH registration No: | CAS-No | Weight % | Classification (Dir. 67/548) | Classification (Reg. 1272/2008) |
|--------------------------------------|-----------|------------------------|------------|----------|------------------------------|---------------------------------|
| Alkylphenate sulfured, calcium salt | 291-829-9 | no data available | 90480-91-4 | < 2.5 | R53 | |
| Calcium long chain alkarylsulphonate | - | no data available | ^ | < 1.5 | R43 R53 | |
| Zinc alkylidithiophosphate | 272-028-3 | no data available | 68649-42-3 | < 0.8 | Xi;R41 N;R51-53 | |



SDS # : 33356

DISOLA M 4015

Revision Date: 2012-05-14

Version 1

| | | | | | | |
|---|-----------|-------------------|----------|-------|--------------------------------------|---------------------|
| Branched alkylphenol and calcium branched chain alkylphenol | - | no data available | ^ | < 0.5 | Xi;R38 Repr.Cat.3;R62 N;R50-53 | |
| Glycol | 203-473-3 | no data available | 107-21-1 | < 0.1 | Xn; R22 | Acute Tox. 4 (H302) |

Additional information Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

For the full text of the R-phrases mentioned in this Section, see Section 16
For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1. Description of first-aid measures

| | |
|-----------------------|---|
| General advice | IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE. |
| Eye contact | Rinse thoroughly with plenty of water, also under the eyelids. |
| Skin contact | Remove contaminated clothing and shoes. Wash skin with soap and water. Wash contaminated clothing before reuse. In the case of skin irritation or allergic reactions see a physician. |
| Inhalation | Move to fresh air |
| Ingestion | Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|---------------------|--|
| Eye contact | Not classified. |
| Skin contact | Not classified. May produce an allergic reaction. |
| Inhalation | Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system. |
| Ingestion | Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. |

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically



SDS # : 33356

DISOLA M 4015

Revision Date: 2012-05-14

Version 1

5. FIRE-FIGHTING MEASURES5.1. Extinguishing media

Suitable Extinguishing Media Carbon dioxide (CO₂). ABC powder. Foam. Water spray or fog.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire

5.2. Special hazards arising from the substance or mixture

Special Hazard Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration. Sulfur oxides. Phosphorous oxides. Nitrogen oxides (NOx). Mercaptans. Hydrogen sulphide.

5.3. Advice for fire-fighters

Special protective equipment for fire-fighters Wear self-contained breathing apparatus and protective suit

Other information Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

6. ACCIDENTAL RELEASE MEASURES6.1. Personal precautions, protective equipment and emergency procedures

General Information Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.

6.2. Environmental precautions

General Information Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4. Reference to other sections



SDS # : 33356

DISOLA M 4015

Revision Date: 2012-05-14

Version 1

Personal Protective Equipment See Section 8 for more detail**Waste treatment** See section 13**7. HANDLING AND STORAGE****7.1. Precautions for safe handling**

Advice on safe handling When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing.

Prevention of fire and explosion Take precautionary measures against static discharges: Ground/bond containers, tanks and transfer/receiving equipment.

Hygiene measures Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions Keep away from food, drink and animal feedingstuffs. Keep in a banded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture.

Materials to Avoid Strong oxidizing agents.

7.3. Specific end uses**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1. Control parameters**

Exposure limits oil mist : 10mg/m³, for 15 minutes
oil mist : 5mg/m³, for 8 hours

| Chemical Name | European Union |
|--------------------|---|
| Glycol 107-21-1 | TWA 20 ppm TWA 52 mg/m ³ STEL 40 ppm STEL 104 mg/m ³ S* |



SDS # : 33356

DISOLA M 4015

Revision Date: 2012-05-14

Version 1

Legend See section 16
8.2. Exposure controls**Occupational Exposure Controls****Engineering Measures**

Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Personal Protective Equipment**General Information**

If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.

Respiratory protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 141). The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.

Eye Protection

If splashes are likely to occur, wear: Safety glasses with side-shields.

Skin and body protection

Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing.

Hand Protection

Hydrocarbon-proof gloves: Fluorinated rubber, Nitrile rubber. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves.

Environmental exposure controls**General Information**

The product should not be allowed to enter drains, water courses or the soil

| |
|-------------------------------------|
| 9. PHYSICAL AND CHEMICAL PROPERTIES |
|-------------------------------------|

9.1. Information on basic physical and chemical properties**Color**

brown

Physical State @20°C

liquid

Odor

Characteristic



SDS # : 33356

DISOLA M 4015

Revision Date: 2012-05-14

Version 1

| <u>Property</u> | <u>Values</u> | <u>Remarks</u> | <u>Method</u> |
|------------------------------------|---|--------------------------|---|
| pH | | Not applicable | |
| Boiling point/boiling range | | Not applicable | |
| Flash point | > 220 °C > 428 °F | | Cleveland Open Cup (COC) Cleveland Open Cup (COC). |
| Evaporation rate | | No information available | |
| Flammability Limits in Air | | No information available | |
| Vapor Pressure | | No information available | |
| Vapor density | | No information available | |
| Density | 904 kg/m ³ | | |
| Water solubility | | Insoluble | |
| Solubility in other solvents | | No information available | |
| logPow | | No information available | |
| Autoignition temperature | | No information available | |
| Viscosity, kinematic | 143 mm ² /s 14.3 mm ² /s | @ 40 °C @ 100 °C | ISO 3104 ISO 3104 |
| Explosive properties | Not explosive | | |
| Oxidizing Properties | Not applicable | | |
| Possibility of hazardous reactions | Not applicable | | |

9.2. Other information

| |
|------------------------------|
| 10. STABILITY AND REACTIVITY |
|------------------------------|

10.1. Reactivity

| | |
|----------------------------|---------------------------|
| General Information | No information available. |
|----------------------------|---------------------------|

10.2. Chemical stability

| | |
|------------------|---|
| Stability | Stable under recommended storage conditions |
|------------------|---|

10.3. Possibility of hazardous reactions

| | |
|----------------------------|------------------------------|
| Hazardous Reactions | None under normal processing |
|----------------------------|------------------------------|

10.4. Conditions to Avoid



SDS # : 33356

DISOLA M 4015

Revision Date: 2012-05-14

Version 1

Conditions to Avoid Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.

10.5. Incompatible Materials

Materials to Avoid Strong oxidizing agents.

10.6. Hazardous Decomposition Products

Hazardous Decomposition Products None under normal use. Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot, Nitrogen oxides (NOx), Phosphorous oxides; Sulfur oxides, Mercaptans, Hydrogen sulphide.

11. TOXICOLOGICAL INFORMATION11.1. Information on toxicological effects**Acute toxicity Local effects Product Information**

Skin contact Not classified. May produce an allergic reaction.

Eye contact Not classified.

Inhalation Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.

Ingestion Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Acute toxicity Component Information

| Chemical Name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|---------------|----------------------|-------------------------|-----------------|
| Glycol | = 4000 mg/kg (Rat) | = 9530 µL/kg (Rabbit) | |

Sensitization

Sensitization Not classified as a sensitizer. Contains sensitizer(s). May produce an allergic reaction. The supplier of one of the components contained within this formulation has indicated that they have data, which confirms that at the concentration used, no sensitisation classification is required .

Specific effects



SDS # : 33356

DISOLA M 4015

Revision Date: 2012-05-14

Version 1

| | |
|---|--|
| Carcinogenicity | This product is not classified carcinogenic. During use in engines, contamination of oil with low levels of combustion products occurs. Used motor oils have been shown to cause skin cancer in mice following repeated application and continuous exposure. Brief or intermittent skin contact with used motor oil is not expected to have serious effects in humans if the oil is thoroughly removed by washing with soap and water. |
| Mutagenicity | This product is not classified as mutagenic. |
| Reproductive toxicity | This product does not contain any known or suspected reproductive hazards. |
| <u>Repeated Dose Toxicity</u> | |
| Subchronic toxicity | No information available. |
| <u>Target Organ Effects (STOT)</u> | |
| Target Organ Effects (STOT) | No information available. |
| <u>Other information</u> | |
| Other adverse effects | Characteristic skin lesions (pimples) may develop following prolonged and repeated exposures (contact with contaminated clothing). |

| |
|----------------------------|
| 12. ECOLOGICAL INFORMATION |
|----------------------------|

12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Acute aquatic toxicity Product Information

No information available.

Acute aquatic toxicity Component Information

| Chemical Name | Toxicity to algae | Toxicity to daphnia and other aquatic invertebrates | Toxicity to fish | Toxicity to microorganisms |
|---|-------------------|---|--|----------------------------|
| Zinc alkyldithiophosphate 68649-42-3 | | EC50 (48h) 1 - 1.5 mg/L Daphnia magna | LC50 (96h) 1.0-5.0 mg/L Pimephales promelas (static) LC50 (96h) 10.0-35.0 mg/L Pimephales promelas (semi-static) | |



SDS # : 33356

DISOLA M 4015

Revision Date: 2012-05-14

Version 1

| | | | | |
|--------------------|---|---|--|--|
| Glycol 107-21-1 | EC50 (96h) 6500 - 13000 mg/L <i>Pseudokirchneriella</i> subcapitata | EC50 (48h) = 46300 mg/L <i>Daphnia magna</i> | LC50 (96h) = 16000 mg/L <i>Poecilia reticulata</i> (static) LC50 (96h) 40000 - 60000 mg/L <i>Pimephales promelas</i> (static) LC50 (96h) = 40761 mg/L <i>Oncorhynchus mykiss</i> (static) LC50 (96h) 14 - 18 mL/L <i>Oncorhynchus mykiss</i> (static) LC50 (96h) = 27540 mg/L <i>Lepomis macrochirus</i> (static) LC50 (96h) = 41000 mg/L <i>Oncorhynchus mykiss</i> () | EC50 = 620 mg/L 30 min EC50 = 10000 mg/L 16 h EC50 = 620.0 mg/L 30 min |
|--------------------|---|---|--|--|

Chronic aquatic toxicity Product Information

No information available.

Chronic aquatic toxicity Component Information

No information available.

Effects on terrestrial organisms

No information available.

12.2. Persistence and degradability**General Information**

No information available

12.3. Bioaccumulative potential**Product Information**

No information available

logPow

No information available

Component Information

| Chemical Name | log Pow |
|-------------------|---------|
| Glycol - 107-21-1 | -1.93 |

12.4. Mobility in soil**Soil**

Given its physical and chemical characteristics, the product generally shows low soil mobility.

Air

Loss by evaporation is limited.



SDS # : 33356

DISOLA M 4015

Revision Date: 2012-05-14

Version 1

Water Insoluble. The product spreads on the surface of the water.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

12.6. Other adverse effects

General Information No information available.

| |
|-----------------------------|
| 13. DISPOSAL CONSIDERATIONS |
|-----------------------------|

13.1. Waste treatment methods

Waste from Residues / Unused Products Should not be released into the environment. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. Where possible recycling is preferred to disposal or incineration. After use, this oil must be sent to a licensed waste oil facility. Incorrect disposal of used oil poses a risk to the environment. Mixture with other waste types such as solvents, brake- and cooling liquids is forbidden.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal

EWC Waste Disposal No. The following Waste Codes are only suggestions: 13 02 05. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

| |
|---------------------------|
| 14. TRANSPORT INFORMATION |
|---------------------------|

ADR/RID Not regulated

IMDG/IMO Not regulated

ICAO/IATA Not regulated

ADN Not regulated

| |
|----------------------------|
| 15. REGULATORY INFORMATION |
|----------------------------|



SDS # : 33356

DISOLA M 4015

Revision Date: 2012-05-14

Version 1

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

International Inventories

| | |
|----------------------|---|
| EINECS/ELINCS | - |
| TSCA | - |
| DSL | - |
| ENCS | - |
| IECSC | - |
| KECL | - |
| PICCS | - |
| AICS | - |
| NZIoC | - |

Legend**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List**ENCS** - Japan Existing and New Chemical Substances**IECSC** - China Inventory of Existing Chemical Substances**KECL** - Korean Existing and Evaluated Chemical Substances**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**AICS** - Australian Inventory of Chemical Substances**NZIoC** - New Zealand Inventory of Chemicals

Further information

15.2. Chemical Safety Assessment**Chemical Safety Assessment** No information available**16. OTHER INFORMATION****Full text of R-phrases referred to under sections 2 and 3**

R53 - May cause long-term adverse effects in the aquatic environment

R43 - May cause sensitization by skin contact

R41 - Risk of serious damage to eyes

R62 - Possible risk of impaired fertility

R38 - Irritating to skin

R22 - Harmful if swallowed



SDS # : 33356

DISOLA M 4015

Revision Date: 2012-05-14

Version 1

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
 R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
 R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Full text of H-Statements referred to under section 2 and 3

H302 - Harmful if swallowed

Abbreviations, acronyms

Legend Section 8

| | | | |
|----|--------------------|----|-----------------------|
| + | Sensitizer | * | Skin designation |
| ** | Hazard Designation | C: | Carcinogen |
| M: | Mutagen | R: | Toxic to reproduction |

Revision Date: 2012-05-14

Revision Note *** Indicates updated section

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet