

MATERIAL SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

### **SDS # :** 33353

# **DISOLA DD 40**

Date of the previous version:	not applicable	Revision Date:	2012-10-25	Version 1
1 IDENTIFICATION OF	THE SUBSTANCE/	AIXTURE AND	OF THE COMPANY	

### 1.1. Product identifier

DISOLA DD 40
EPF
Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Identified uses Motor oil.

### 1.3. Details of the supplier of the safety data sheet

Supplier	TOTAL LUBRIFIANTS
	562 Avenue du Parc de L'ile
	92029 Nanterre Cedex
	Tél: +33 (0)1 41 35 40 00
	Fax: +33 (0)1 41 35 84 71

#### For further information, please contact:

Contact Point	HSE
E-mail Address	rm.msds-lubs@total.com

### 1.4. Emergency telephone number

### +33 1 49 00 00 49 (24h/24, 7d/7)

France - ORFILA (INRS) Tél : +33 (0)1 45 42 59 59

In France : - PARIS : Hốpital Fernand Widal 200, rue du Faubourg Saint-Denis 75475 Paris Cédex 10, Tel : 01.40.05.48.48. -MARSEILLE : Hopital Salvator, 249 bd Ste Marguerite 13274 Marseille cedex 5, Tel : 04.91.75.25.25. - LYON : Hopital Edouard Herriot, 5 place d'Arsonvol, 69437 Lyon cedex 3, Tel : 04.72.11.69.11. - NANCY : Hopital central, 29 Av du Mal De Lattre de Tassigny, 54000 Nancy, Tel : 03.83.32.36.36 ou le SAMU : Tel (15)

### 2. HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

### REGULATION (EC) No 1272/2008

For the full text of the H-Statements mentioned in this Section, see Section 2.2.

### DIRECTIVE 67/548/EEC or 1999/45/EC

For the full text of the R-phrases mentioned in this Section, see Section 16



# **DISOLA DD 40**

**Revision Date:** 2012-10-25

Version 1

The substance/mixture is non-dangerous in accordance with Directive(s) 67/548/EEC with amendments and/or 1999/45/EC with amendments **Symbol(s)** 

Not Classified

### 2.2. Label elements

Labelled according to

Not classified/No labelling required

R-phrase(s) none

S-phrase(s) none

2.3. Other hazards

Physical-Chemical Properties	Contaminated surfaces will be extremely slippery
------------------------------	--

Environmental properties Should not be released into the environment.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixture

Hazardous ingredientsDo not contain hazardous substance nor substance with european workplace exposure<br/>limits in concentration above regulatory thresholdsAdditional informationProduct containing mineral oil with less than 3% DMSO extract as measured by IP 346

For the full text of the R-phrases mentioned in this Section, see Section 16 For the full text of the H-Statements mentioned in this Section, see Section 16.

### 4. FIRST AID MEASURES

### 4.1. Description of first-aid measures

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids.



<b>SDS #</b> : 33353	DISOLA DD 40
	Revision Date: 2012-10-25 Version 1
Skin contact	Remove contaminated clothing and shoes. Wash off with soap and water. Wash contaminated clothing before reuse.
Inhalation	Move to fresh air.
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.
4.2. Most important symp	toms and effects, both acute and delayed
Eye contact	Not classified.
Skin contact	Not classified.
Inhalation	Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.
Ingestion	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
4.3. Indication of immedia	te medical attention and special treatment needed, if necessary
Notes to physician	Treat symptomatically.
5. FIRE-FIGHTING MEASUR	ES
5.1. Extinguishing media	
ette Extinguishing media	
Suitable Extinguishing Media	Carbon dioxide (CO 2). ABC powder. Foam. Water spray or fog.
<b>_</b>	Carbon dioxide (CO <sub>2</sub> ). ABC powder. Foam. Water spray or fog. Do not use a solid water stream as it may scatter and spread fire.
Suitable Extinguishing Media	
Suitable Extinguishing Media	Do not use a solid water stream as it may scatter and spread fire.
Suitable Extinguishing Media Unsuitable Extinguishing Media 5.2. Special hazards arisin	Do not use a solid water stream as it may scatter and spread fire. <u>Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.</u>
Suitable Extinguishing Media Unsuitable Extinguishing Media 5.2. Special hazards arisin Special Hazard	Do not use a solid water stream as it may scatter and spread fire. <u>Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.</u>
Suitable Extinguishing Media Unsuitable Extinguishing Media 5.2. Special hazards arisin Special Hazard 5.3. Advice for fire-fighter Special protective equipment for	Do not use a solid water stream as it may scatter and spread fire. <u>Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.</u>



<b>SDS #</b> : 33353	DISOLA DD 40
	Revision Date: 2012-10-25 Version
6.1. Personal precautions,	protective equipment and emergency procedures
General Information	Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.
6.2. Environmental precau	tions
General Information	Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.
6.3. Methods and material	s for containment and cleaning up
Methods for cleaning up	Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.
6.4. Reference to other se	ctions_
Personal Protective Equipment	See Section 8 for more detail.
Waste treatment	See section 13.
7. HANDLING AND STORAG	Ε

### 7.1. Precautions for safe handling

Advice on safe handling	When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing.
Prevention of fire and explosion	Take precautionary measures against static discharges: Ground/bond containers, tanks and transfer/receiving equipment.
Hygiene measures	Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.

7.2. Conditions for safe storage, including any incompatibilities



<b>SDS #</b> : 33353	DISOLA DD 40
	Revision Date: 2012-10-25 Version
Technical measures/Storage conditions	Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidenta emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture.
Materials to Avoid	Strong oxidizing agents.
7.3. Specific end uses	
8. EXPOSURE CONTROLS/	PERSONAL PROTECTION
8.1. Control parameters	
Exposure limits	oil mist : 10mg/m³, for 15 minutes oil mist : 5mg/m³, for 8 hours
Legend	See section 16
8.2. Exposure controls	
Occupational Exposure Controls	
Engineering Measures	Apply technical measures to comply with the occupational exposure limits. When working confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.
Personal Protective Equipment	
General Information	If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (E 14387). The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.
Eye Protection	If splashes are likely to occur, wear:. Safety glasses with side-shields.
Skin and body protection	Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing.
Hand Protection	Hydrocarbon-proof gloves: Fluorinated rubber, Nitrile rubber. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves.



# DISOLA DD 40

**Revision Date: 2012-10-25** 

Version 1

#### **Environmental exposure controls**

**General Information** 

The product should not be allowed to enter drains, water courses or the soil.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Color Physical State @20°C Odor		yellow To amber liquid Characteristic	
<u>Property</u> pH Boiling point/boiling range	Values	<b>Remarks</b> No information available No information available	Method
Flash point	> <b>200 °C</b> > 392 °F		Cleveland Open Cup (COC) Cleveland Open Cup (COC).
Evaporation rate Flammability Limits in Air Vapor Pressure Vapor density Density Water solubility Solubility in other solvents logPow Autoignition temperature	895 kg/m <sup>3</sup>	No information available No information available No information available @ 15 °C Insoluble No information available No information available No information available	Cleveland Open Cup (COC).
Viscosity, kinematic Explosive properties	139 mm2/s 14.3 mm2/s Not explosive	@ 40 °C @ 100 °C	ISO 3104 ISO 3104
Oxidizing Properties Possibility of hazardous reactions 9.2. Other information	No information available No information available		

### 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

**General Information** 

No information available.

### 10.2. Chemical stability

### Stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions



## SDS #: 33353 **DISOLA DD 40** Revision Date: 2012-10-25 Version 1 **Hazardous Reactions** None under normal processing. 10.4. Conditions to Avoid **Conditions to Avoid** Heat (temperatures above flash point), sparks, ignition points, flames, static electricity. 10.5. Incompatible Materials Materials to Avoid Strong oxidizing agents. 10.6. Hazardous Decomposition Products Hazardous Decomposition Products None under normal use. 11. TOXICOLOGICAL INFORMATION 11.1. Information on toxicological effects Acute toxicity Local effects Product Information Skin contact . Not classified. Eye contact . Not classified. Inhalation . Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system. . Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and Ingestion diarrhea. Acute toxicity - Component Information Sensitization Sensitization Not classified as a sensitizer. Specific effects Carcinogenicity This product is not classified carcinogenic. During use in engines, contamination of oil with low levels of combustion products occurs. Used motor oils have been shown to cause skin cancer in mice following repeated application and continuous exposure. Brief or intermittent skin contact with used motor oil is not expected to have serious effects in humans if the oil is thoroughly removed by washing with soap and water. **Mutagenicity** This product is not classified as mutagenic. This product does not present any known or suspected reproductive hazards.

Reproductive toxicity Repeated Dose Toxicity



# SDS #: 33353 **DISOLA DD 40** Revision Date: 2012-10-25 Version 1 No information available. Subchronic toxicity **Target Organ Effects (STOT)** No information available. **Target Organ Effects (STOT)** Other information Other adverse effects Characteristic skin lesions (pimples) may develop following prolonged and repeated exposures (contact with contaminated clothing). 12. ECOLOGICAL INFORMATION 12.1. Toxicity Not classified. Acute aquatic toxicity - Product Information No information available. Acute aquatic toxicity - Component Information No information available. Chronic aquatic toxicity • Product Information No information available. Chronic aquatic toxicity - Component Information No information available. Effects on terrestrial organisms No information available. Persistence and degradability 12.2. **General Information** No information available. 12.3. Bioaccumulative potential **Product Information** No information available. logPow No information available **Component Information** 12.4. Mobility in soil



<b>SDS # :</b> 33353	DISOLA DD 40	
	Revision Date: 2012-10-25 Version	
Soil	Given its physical and chemical characteristics, the product generally shows low soil mobility.	
Air	Loss by evaporation is limited.	
Water	Insoluble. The product spreads on the surface of the water.	
12.5. Results of PBT and	d vPvB assessment	
PBT and vPvB assessment	No information available.	
12.6. Other adverse effe	ects_	
General Information	No information available.	
13. DISPOSAL CONSIDER	RATIONS	
13.1. Waste treatment r	nethods	
Waste from Residues / Unused ProductsShould not be released into the environment. Dispose of in accordance Directives on waste and hazardous waste. Dispose of in accordance Where possible recycling is preferred to disposal or incineration. After sent to a licensed waste oil facility. Incorrect disposal of used oil pose environment. Mixture with other waste types such as solvents, brake- forbidden.		
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.	
EWC Waste Disposal No.	The following Waste Codes are only suggestions:. 13 02 05. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.	
14. TRANSPORT INFORM	IATION	
ADR/RID	Not regulated	
MDG/IMO	Not regulated	
CAO/IATA	Not regulated	

ADN Not regulated

## 15. REGULATORY INFORMATION



# **DISOLA DD 40**

**Revision Date:** 2012-10-25

Version 1

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**European Union** 

International Inventories

EINECS/ELINCS	-		
TSCA	-		
DSL	-		
ENCS	-		
IECSC	-		
KECL	-		
PICCS	-		
AICS	-		
NZIOC	-		
Legend			
EINECS/ELINCS - European Inventory of E	xisting Commercial Chemical Substances/EU List of Notified Chemical Substances		
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory			
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List			
ENCS - Japan Existing and New Chemical Substances			
IECSC - China Inventory of Existing Chemical Substances			
KECL - Korean Existing and Evaluated Chemical Substances			
PICCS - Philippines Inventory of Chemicals and Chemical Substances			
AICS - Australian Inventory of Chemical Sul	bstances		
NZIOC - New Zealand Inventory of Chemica	ls		

Further information

### 15.2. Chemical Safety Assessment

Chemical Safety Assessment N

No information available

16. OTHER INFORMATION

Full text of R-phrases referred to under sections 2 and 3 No information available

#### Abbreviations, acronyms

Legend	Section 8		
+	Sensitizer	*	Skin designation
**	Hazard Designation	C:	Carcinogen
M:	Mutagen	R:	Toxic to reproduction



# **DISOLA DD 40**

Revision Date: 2012-10-25

Version 1

Revision Date:	2012-10-25	
Revision Note	*** Indicates updated section.	
This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006		

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet