

### **MATERIAL SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006

### **SDS # :** 32576

# VISGA 32

### Date of the previous version: 2012-04-26

**Revision Date: 2012-05-14** 

Version 4

### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product name	VISGA 32
Number	HJB
Pure substance/mixture	Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Identified uses

Hydraulic oil.

### 1.3. Details of the supplier of the safety data sheet

Supplier	TOTAL LUBRIFIANTS 562 Avenue du Parc de L'ile 92029 Nanterre Cedex Tél: +33 (0)1 41 35 40 00 Fax: +33 (0)1 41 35 84 71
	Fax: +33 (0)1 41 35 84 71

### For further information, please contact

Contact Point	HSE
E-mail Address	rm.msds-lubs@total.com

### 1.4. Emergency telephone number

### +33 1 49 00 00 49 (24h/24, 7d/7)

France - ORFILA (INRS) Tél : +33 (0)1 45 42 59 59

In France : - PARIS : Hôpital Fernand Widal 200, rue du Faubourg Saint-Denis 75475 Paris Cédex 10, Tel : 01.40.05.48.48. - MARSEILLE : Hopital Salvator, 249 bd Ste Marguerite 13274 Marseille cedex 5, Tel : 04.91.75.25.25. - LYON : Hopital Edouard Herriot, 5 place d'Arsonvol, 69437 Lyon cedex 3, Tel : 04.72.11.69.11. - NANCY : Hopital central, 29 Av du Mal De Lattre de Tassigny, 54000 Nancy, Tel : 03.83.32.36.36 ou le SAMU : Tel (15)

### 2. HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

### REGULATION (EC) No 1272/2008

For the full text of the H-Statements mentioned in this Section, see Section 2.2.

### DIRECTIVE 67/548/EEC or 1999/45/EC

For the full text of the R-phrases mentioned in this Section, see Section 16



# VISGA 32

Revision Date: 2012-05-14

Version 4

The substance/mixture is non-dangerous in accordance with Directive(s) 67/548/EEC with amendments and/or 1999/45/EC with amendments **Symbol(s)** 

Not Classified

### 2.2. Label elements

Labelled according to:

Not classified/No labelling required

#### R-phrase(s) none

S-phrase(s) none

### 2.3. Other hazards

Physical-Chemical Properties Contaminated surfaces will be extremely slippery.

Environmental properties Should not be released into the environment.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixture

Chemical Name	EC-No	REACH registration No:	CAS-No	Weight %	Classification (Dir. 67/548)	Classification (Reg. 1272/2008)
Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-S,S']-, (T-4)-	224-235-5	01-2119493635-27	4259-15-8	<0.45	Xi;R41;R51-53	Aquatic Chronic 2 (H411) Eye Dam. 1 (H318)
2,6-di-tert-butylphenol	204-884-0	no data available	128-39-2	<0.2	Xi;R38 N;R50-53	Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) Skin Irrit. 2 (H315)

Additional information

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

For the full text of the R-phrases mentioned in this Section, see Section 16 For the full text of the H-Statements mentioned in this Section, see Section 16.

... . . .



# VISGA 32

Revision Date: 2012-05-14

Version 4

### 4. FIRST AID MEASURES

### 4.1. Description of first-aid measures

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids.
Skin contact	Remove contaminated clothing and shoes. Wash skin with soap and water. Wash contaminated clothing before reuse. High pressure jets may cause skin damage. In this case, the casualty should be sent immediately to hospital.
Inhalation	Move to fresh air
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.
4.2. Most important sympt	coms and effects, both acute and delayed
Eye contact	Not classified.
Skin contact	
Skill contact	Not classified. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.
Inhalation	
	serious consequences even though no symptom or injury may be apparent. Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory
Inhalation Ingestion	<ul><li>serious consequences even though no symptom or injury may be apparent.</li><li>Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.</li><li>Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and</li></ul>
Inhalation Ingestion	<ul><li>serious consequences even though no symptom or injury may be apparent.</li><li>Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.</li><li>Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.</li></ul>

### 5.1. Extinguishing media

- - - - -

Suitable Extinguishing Media	Carbon dioxide (CO). ABC powder.	Foam. Water spray or fog.
------------------------------	----------------------------------	---------------------------

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire

### 5.2. Special hazards arising from the substance or mixture

... . . . .



<b>SDS #</b> : 32576	VISGA 32			
	Revision Date: 2012-05-14 Version 4			
Special Hazard	Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.			
5.3. Advice for fire-fighter	<u>S</u>			
Special protective equipment for fire-fighters	Wear self-contained breathing apparatus and protective suit			
Other information	Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.			
6. ACCIDENTAL RELEASE	MEASURES			
6.1. Personal precautions	, protective equipment and emergency procedures			
General Information	Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.			
6.2. Environmental precau	utions			
General Information	Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.			
6.3. Methods and materia	Is for containment and cleaning up			
Methods for cleaning up	Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.			
6.4. Reference to other se	ections			

### Personal Protective Equipment See Section 8 for more detail

Waste treatment See section 13

### 7. HANDLING AND STORAGE

### 7.1. Precautions for safe handling



<b>SDS #</b> : 32576	VISGA 32	
	Revision Date: 2012-05-14	Version 4
Advice on safe handling	When using, do not eat, drink or smoke. For personal protection see section well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact and clothing.	
Prevention of fire and explosion	Take precautionary measures against static discharges. Ground/bond cor and transfer/receiving equipment.	ntainers, tanks
Hygiene measures	Ensure the application of strict rules of hygiene by the personnel exposed t contact with the product. Regular cleaning of equipment, work area and cle recommended. Wash hands before breaks and immediately after handling not use abrasives, solvents or fuels. Do not dry hands with rags that have contaminated with product. Do not put product contaminated rags into wor	othing is the product. Do been

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions	Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture.

### Materials to Avoid Strong oxidizing agents.

### 7.3. Specific end uses

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

Exposure limits oil mist : 10mg/m<sup>3</sup>, for 15 minutes; oil mist : 5mg/m<sup>3</sup>, for 8 hours

Legend

See section 16

### 8.2. Exposure controls

### **Occupational Exposure Controls**



<b>SDS #</b> : 32576	VISGA 32	
	Revision Date: 2012-05-14	Version 4
Engineering Measures	Apply technical measures to comply with the occupational exposure limits. W in confined spaces (tanks, containers, etc.), ensure that there is a supply of ai breathing and wear the recommended equipment.	
Personal Protective Equipment		
General Information	If the product is used in mixtures, it is recommended that you contact the approprotective equipment suppliers. These recommendations apply to the productions apply to the productions apply to the productions approximation of the productions approximation of the production of the p	
Respiratory protection	When workers are facing concentrations above the exposure limit they must u appropriate certified respirators. Respirator with combination filter for vapour/ (EN 141). The use of breathing apparatus must comply strictly with the manu instructions and the regulations governing their choices and uses.	particulate
Eye Protection	If splashes are likely to occur, wear:. Safety glasses with side-shields.	
Skin and body protection	Wear suitable protective clothing. Protective shoes or boots. Long sleeved c	lothing.
Hand Protection	Hydrocarbon-proof gloves. Please observe the instructions regarding permea breakthrough time which are provided by the supplier of the gloves. Also take consideration the specific local conditions under which the product is used, su danger of cuts, abrasion. If used in solution, or mixed with other substances, conditions which differ from EN 374, contact the supplier of the EC approved	into ich as the and under

### **Environmental exposure controls**

**General Information** 

The product should not be allowed to enter drains, water courses or the soil

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Appearance Color Physical State @20°C Odor		limpid yellow liquid Characteristic	
<u>Property</u> pH Boiling point/boiling range	Values	Remarks Not applicable No information available	Method
Flash point	<b>230 °C</b> 446 °F		Cleveland Open Cup (COC) Cleveland Open Cup (COC).
Evaporation rate		No information available	



# VISGA 32

Revision Date: 2012-05-14

Version 4

Flammability Limits in Air Vapor Pressure Vapor density Density Water solubility Solubility in other solvents logPow Autoignition temperature Viscosity, kinematic	868 kg/m³ 32 - 35.2 mm2/s 6.4 mm2/s	No information available No information available No information available @ 15 °C Insoluble No information available No information available @ 40 °C @ 100 °C	ISO 3104 ISO 3104
Explosive properties Oxidizing Properties Possibility of hazardous reactions	Not explosive Not applicable Not applicable		
9.2. Other information			
Pour point	<= -33 °C		NF T 60-105
10. STABILITY AND REACT	Ινιτγ		
10.1. Reactivity			
General Information	No information available	Э.	
10.2. Chemical stability			
Stability	Stable under recommer	nded storage conditions	
10.3. Possibility of hazardous reactions			
Hazardous Reactions	None under normal processing		
10.4. Conditions to Avoid			
Conditions to Avoid	Heat (temperatures abo	ve flash point), sparks, ignition	points, flames, static electricity.
10.5. Incompatible Materials			
Materials to Avoid	Strong oxidizing agents		
10.6. Hazardous Decompo	sition Products		
Hazardous Decomposition Product	<b>s</b> None under normal use		



# VISGA 32

Revision Date: 2012-05-14

Version 4

### 11. TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

### Acute toxicity Local effects Product Information

Skin contact	Not classified. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.
Eye contact	Not classified.
Inhalation	Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.
Ingestion	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

### Acute toxicity Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-S,S']-, (T-4)-	= 3100 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	
2,6-di-tert-butylphenol	> 5000 mg/kg (Rat)	= 10000 mg/kg (Rabbit)	

Sensitization	
Sensitization	Not classified as a sensitizer.
Specific effects	
Carcinogenicity	This product is not classified carcinogenic.
Mutagenicity	This product is not classified as mutagenic.
Reproductive toxicity	This product does not contain any known or suspected reproductive hazards.
Repeated Dose Toxicity	
Subchronic toxicity	No information available.
Target Organ Effects (STOT)	
Target Organ Effects (STOT)	No information available.



# VISGA 32

Revision Date: 2012-05-14

Version 4

#### Other information

Other adverse effects

Characteristic skin lesions (pimples) may develop following prolonged and repeated exposures (contact with contaminated clothing).

### 12. ECOLOGICAL INFORMATION

12.1. Toxicity

Not classified.

### Acute aquatic toxicity Product Information

No information available.

### Acute aquatic toxicity Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-S,S']-, (T-4)- 4259-15-8	EC50 (96h) 1.0 - 5.0 mg/L Pseudokirchneriella subcapitata	EC50 (48h)  1 - 1.5 mg/L Daphnia magna	LC50 (96h) 1.0-5.0 mg/L Pimephales promelas (static) LC50 (96h) 10.0-35.0 mg/L Pimephales promelas (semi-static)	
2,6-di-tert-butylphenol 128-39-2		EC50 (48h) = 0.45 mg/L Daphnia magna		

### **Chronic aquatic toxicity Product Information**

No information available.

### Chronic aquatic toxicity Component Information

No information available.

#### Effects on terrestrial organisms

No information available.

### 12.2. Persistence and degradability

#### **General Information**

No information available

### 12.3. Bioaccumulative potential



# VISGA 32

### Revision Date: 2012-05-14

Version 4

Product Information	No information available	
logPow Component Information	No information available No information available.	
	al Name	log Pow
Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-S,S']-, (T-4) 4259-15-8		3.6

### 12.4. Mobility in soil

Soil	Given its physical and chemical characteristics, the product generally shows low soil mobility.		
Air	Loss by evaporation is limited.		
Water	Insoluble. The product spreads on the surface of the water.		
12.5. Results of PBT and vPvB assessment			
PBT and vPvB assessment	No information available.		
12.6. Other adverse effect	<u>'S</u>		
General Information	No information available.		

### 13. DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Waste from Residues / Unused Products	Should not be released into the environment. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal
EWC Waste Disposal No.	The following Waste Codes are only suggestions: 13 01 10. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

### 14. TRANSPORT INFORMATION

- - -

### ADR/RID

Not regulated



# VISGA 32

Revision Date: 2012-05-14

Version 4

IMDG/IMONot regulatedICAO/IATANot regulatedADNNot regulated

15. REGULATORY INFORMATION

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

International Inventories

**EINECS/ELINCS** TSCA DSL ENCS IECSC KECL PICCS AICS NZIoC Legend EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances NZIOC - New Zealand Inventory of Chemicals

Further information

### 15.2. Chemical Safety Assessment

Chemical Safety Assessment

No information available



# VISGA 32

**Revision Date:** 2012-05-14

Version 4

### 16. OTHER INFORMATION

#### Full text of R-phrases referred to under sections 2 and 3

R41 - Risk of serious damage to eyes R38 - Irritating to skin

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

#### Full text of H-Statements referred to under section 2 and 3

H318 - Causes serious eye damage

H315 - Causes skin irritation

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

#### Abbreviations, acronyms

Legend Section 8			
+	Sensitizer	*	Skin designation
**	Hazard Designation	C:	Carcinogen
M:	Mutagen	R:	Toxic to reproduction

 Revision Date:
 2012-05-14

 Revision Note
 \*\*\* Indicates updated section

 This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet